



PRODUCT DATA SHEET

BUBI LF Adhesive Primer

BUBI LF Bonding Primer is a quality, solvent-free primer for preparation of the substrate to optimize the adhesive properties of acrylate, butyl and bitumen- rubber adhesive tapes. It can be used on all absorbent, mineral substrates e.g. concrete, cement plaster, cellular concrete, brickwork and sand-lime bricks that are finished flush. Application is also possible on polystyrene panels. BUBI LF Primer is self-adhesive and resistant against humidity and warm temperatures.

ADVANTAGES

- a stronger primer coat
- forms an adhesive film, self- adhesive
- working temperature from -10° C (air and material temperature)

RECOMMENDED PRODUCTS

Applicator roller

AVAILABLE IN THE FOLLOWING DIMENSIONS

Packing unit	Dosing bottle	Pot
Content	1 kg	5 kg

PRODUCT DATA

Material composition	Water- based acrylate polymer dispersion
Film characteristics permanently	elastic
Drying time	15 - 40 min
Coverage	10 m ² /kg
Working temperature	-5 °C - 35 °C
Storage	12 months in closed can, dry, closed ; + 15 °C - + 25 °C , without sun, the product is not frost- resistant!

BUBI LF Adhesive Primer

APPLICATION

Stir BUBI LF Bonding Primer well, then spread evenly using a roller or a brush (apply twice to porous surfaces) and allow to dry. Be sure to apply evenly!



Before applying the adhesive tape the Primer should be dried to transparency. Thick Primer can be thinned by adding water.

The substrate must be level, firm, dry and free from grease, oil and dust.

ISOCELL GmbH & Co KG

Gewerbestraße 9
5202 NEUMARKT AM WALLERSEE | Österreich
Tel.: +43 6216 4108 | Fax: +43 6216 7979
office@isocell.at

ISOCELL SCHWEIZ AG

Herbergstrasse 29
9524 Zuzwil | Suisse /Schweiz
Tel.: +41 71 940 06 72
office@isocell.ch

ISOCELL FRANCE

170 Rue Jean Monnet | ZAC de Prat Pip Sud
29490 GUIPAVAS | France
Tél.: +33 2 98 42 11 00 | Fax: +33 2 98 42 11 99
contact@isocell-france.fr

ISOCELL BUREEL BELGIË

Außenborner Weg 1 | Schoppen
4770 Amel | Belgique
Tel.: +32 80 39 90 58 | Fax: +32 80 39 97 68
office@isocell.be

ISOCELL Sverige AB

Köpsvängen 10
168 67 BROMMA | Sverige
Tel.: +46 10 130 25 00
info@isocell.se

ISOCELL
www.isocell.com