



PRODUCT DATA SHEET

OMEGA NDB Nail Sealing Tape DSK

A bitumen tape, adhesive on both sides, that is attached along the full length between the diffusive roof underlay and the counter-batten. It prevents ingress of rainwater and guarantees optimum windtightness of the construction. Tested for protection from rain by the Austrian Wood Research Association, (Holzforschung Austria Order no. 203/2003/2 T/HH).

FIELD OF APPLICATION

- a seal for nails and screws below the counter battens

ADVANTAGES

- easy to use
- good adhesion on wood and underlays
- good elastic properties

AVAILABLE IN THE FOLLOWING DIMENSIONS

Type	DSK	DSK	DSK	DSK
Roll width	50 mm	60 mm	70 mm	80 mm
Roll length	10 m	10 m	10 m	10 m
Carton content	6 Rolls	6 Rolls	6 Rolls	6 Rolls

PRODUCT DATA


Material composition	Self-adhesive bitumen tape
Thickness	2 mm
Temperature resistance - Standard	-40 °C - 100 °C
Working temperature	5 °C - 40 °C
Storage	1 year; cool and dry

OMEGA NDB Nail Sealing Tape DSK

Glue the OMEGA NDB Nail Sealing Tape DSK directly to the lower side of the counter battens, then position and fix the batten.

The sealing tape encloses the nail completely and achieves a 100 % sealed penetration point! See Guidelines for OMEGA Roof Underlay

The standards according to ÖNORM B 4119 and/or ZVDH (Central Association of German Roofers) must be observed.



ISOCELL GmbH & Co KG

Gewerbestraße 9
5202 NEUMARKT AM WALLERSEE | Österreich
Tel.: +43 6216 4108 | Fax: +43 6216 7979
office@isocell.at

ISOCELL SCHWEIZ AG

Herbergstrasse 29
9524 Zuzwil | Suisse /Schweiz
Tel.: +41 71 940 06 72
office@isocell.ch

ISOCELL FRANCE

170 Rue Jean Monnet | ZAC de Prat Pip Sud
29490 GUIPAVAS | France
Tél.: +33 2 98 42 11 00 | Fax: +33 2 98 42 11 99
contact@isocell-france.fr

ISOCELL BUREEL BELGIË

Außenborner Weg 1 | Schoppen
4770 Amel | Belgique
Tel.: +32 80 39 90 58 | Fax: +32 80 39 97 68
office@isocell.be

ISOCELL Sverige AB

Köpsvängen 10
168 67 BROMMA | Sverige
Tel.: +46 10 130 25 00
info@isocell.se

ISOCELL
www.isocell.com