

UDB-A
USB-A

OMEGA MONO 230 SK DUO Underlay

is a non-vapour retardant roof underlay with two two-way acrylate adhesive strips for installation directly on the thermal insulation or the wood sheathing. In accordance with ÖNORM B 4119, the roof underlay is suitable for rainproof under-roofs as well as for under-roofs with increased rainproof properties with a roof pitch of $> 15^\circ$ and a snow load s_k of up to 4.0 kN/m^2 and complies with the classification UDB-A and USB-A in accordance with the ZVDH Directive (ZVDH = German Central Association of the Roofing Trade).

FIELD OF APPLICATION

- for vented pitched roofs
- for installation directly on the thermal insulation or the wood sheathing

ADVANTAGES

- raintight
- windtight
- 12 weeks UV-stability
- non-glare
- watertight
- easy to cut

RECOMMENDED ACCESSORIES



OMEGA QUILLI



OMEGA Nail-Seal Tape



PE Nail-Seal Tape DSK

AVAILABLE IN THE FOLLOWING DIMENSIONS

Roll width	1,5 m
Roll length	50 m
Roll area	75 m ²
Roll wight	18 kg

PRODUCT DATA ACCORDING TO STANDARD EN 13859-1 / EN 13859-2

Material composition	monolithic membrane with PP fleece on both sides and two-way acrylate adhesive strips	
Thickness	0,75 mm	
Colour	lightgrey	
Weight per unit area	230 g / m ²	
Sd - value	0,08 m	
Temperature resistance	- 40 °C - + 80 °C	
UV - resistance	12 Weeks	
Resistance to water penetration EN 1928	W1	
Elongation EN 12311-1	80 %	83 %
Tensile strength EN 12311-1	320 N / 50 mm	270 N / 50 mm
Tear propagation resistance EN 12310-1	200 N	220 N
Storage	cool and dry	
Fire performance EN 13501-1/EN 11925-0	E	

01/2020_EN

ISOCELL

GUIDELINES FOR INSTALLATION OF OMEGA ROOF UNDERLAY

(1) Underlay (unsupported)

OMEGA roof underlay is nailed parallel to the eaves with a slight drape and laid and mechanically fixed above the rafters. Vertical overlaps/joins must always lie on a rafter. All overlaps must be bonded with OMEGA Quilli. Horizontal underlay panels can be joined using SK-DUO's adhesion as provided or with OMEGA Quilli. (no pressure need be applied).

(2) Underlay (supported)

OMEGA roof underlay is laid on sheathing parallel to the eaves. The blankets are fixed with concealed nails spaced at 10 cm at the ridge-side edges (marks at edge). All overlaps/joins must be bonded with OMEGA Quilli (without applying pressure) or the integrated adhesive strips (applying adequate pressure). For the raintight version (temporary cover) a nail-seal under the counter batten (OMEGA Quilli or OMEGA Nail-seal Tape) is necessary. The single-sided nail-seal tape must be attached to the roof underlay directly beneath the counter batten!

(3) Eaves construction

We recommend an eaves construction with drainage below the gutter so that snowmelt build-up can easily drain off. We recommend the use of a metal sheet to drain off water.

(4) Ridge area

The ridge area is closed directly when covered with OMEGA roof underlay. This provides immediate protection against water penetration. In non-insulated lofts and/or ventilated interior insulation the ridge formation must be made open: the blankets end 3 cm before the ridge apex, counter battens are mounted and a 50 cm wide strip of OMEGA roof underlay must be attached over the roof apex.

(5) Valley formation







The first step in valley formation is to lay a continuous valley blanket.

(6) Penetrations

Sections cut out for roof penetrations (extractor pipes, roof windows, chimneys, etc.) should be kept as small as possible and the ends of the sheets must be fixed so that no rain or snow can penetrate. To achieve a perfect seal the appropriate sealing tapes and sleeves supplied by ISOCELL GmbH must be used.

Make sure that the substrate is clean! The manufacturer can accept no liability for mechanical damage. The applicable regulations and guidelines (e.g. of the ZVDH (Central Association of German Roofers) for Germany, Austrian Standard, ÖNORM B 4119, for Austria, ...) must be observed!

The roof underlay does not replace roof covering. The roof must be covered during the period of the specified weathering time. Early covering has a positive effect on the resistance to ageing.



ISOCELL GmbH & Co KG
Gewerbestraße 9
5202 NEUMARKT AM WALLERSEE | Österreich
Tel.: +43 6216 4108 | Fax: +43 6216 7979
office@isocell.at

ISOCELL SCHWEIZ AG
Herbergstrasse 29
9524 ZUZWIL | Suisse /Schweiz
Tel.: +41 71 544 47 20
office@isocell.ch

ISOCELL FRANCE
170 Rue Jean Monnet | ZAC de Prat Pip Sud
29490 GUIPavas | France
Tel.: +33 2 98 42 11 00 | Fax: +33 2 98 42 11 99
contact@isocell-france.fr

ISOCELL BUREEL BELGIË
Außenborner Weg 1 | Schoppen
4770 AMEL | Belgique
Tel.: +32 80 39 90 58 | Fax: +32 80 39 97 68
office@isocell.be

ISOCELL Sverige AB
Box 20059
161 02 BROMMA | Sverige
Tel.: +46 10 130 25 00
info@isocell.se

ISOCELL
www.isocell.com