



Paint Catalogue

Paint Catalogue

Adler Aquawood Primo TG White

Water based dip primer for wooden windows and doors. Ideally suited for hardwoods such as oak or softwoods that are highly resinous. Provides protection from blue stain and fungus.

For Industrial and Professional Use

Product advantages:

- Water based
- Excellent sagging behaviour
- Good penetration capacity thanks to multi-phase polymer technology
- Especially suitable for species of wood that are less adsorbant
- Perfect wet adhesion

Method of application:

- Immersion
- Flow coating



Product Code	Description	Coverage	Colour	Packaging Unit
546205000022	Tinted primer dip coat - White base	~100-120 g/m ²	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Aquawood Primo TG W40

Water based dip primer for wooden windows and doors. Ideally suited for hardwoods such as oak or softwoods that are highly resinous. Provides protection from blue stain and fungus.

For Industrial and Professional Use

Product advantages:

- Water based
- Excellent sagging behaviour
- Good penetration capacity thanks to multi-phase polymer technology
- Especially suitable for species of wood that are less adsorbant
- Perfect wet adhesion

Method of application:

- Immersion
- Flow coating



Product Code	Description	Coverage	Colour	Packaging Unit
546100004022	Tinted primer dip coat - Clear base	~100-120 g/m²	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Aquawood Intermedio ISO - Intermediate

Water based intermediate coat for wooden windows and doors. The intermediate coat provides excellent filling performance, even with highly resinous or deeply pored woods.

For Industrial and Professional Use

Product advantages:

- Water based
- All-in-one solution for intermediate coating with spray application
- Insulates discolouring substances in the wood
- Avoids the need for grinding through coloured immersion impregnations
- Can be used on all species of wood
- Good weather resistance
- Block resistant
- For dimensionally timber components.

Method of application:

- Airless Spray
- Airless - Air Supported
- Cup Gun



Product Code	Description	Coverage	Colour	Packaging Unit
570500020098	Intermediate mid coat	~200-250 g/m²	Clear	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Aquawood Covapro 60

Water based pigmented finishing coat for wooden windows and doors. Provides outstanding weathering resistance and permanent elasticity. Aquawood Covapro provides a high degree of block resistance, excellent impact strength and fast protection against water. Optimal flow and drying characteristics with very natural look and feel.

For Industrial and Professional Use

Product advantages:

- Natural surface and pleasant feel
- Fast water resistance
- For dimensionally stable timber components.
- Protection against blue stain and wood destroying fungi without biocidal active ingredients.

Method of application:

- Airless Spray
- Airless Spray (Air Supported)
- Cup Gun



Product Code	Description	Coverage	Colour	Packaging Unit
502700001020	Gloss Top Coat - White base for solid colour	~300-600 g/m²	Tinted to client specification	1
502700003020	Gloss Top Coat - Clear base for solid colour	~300-600 g/m²	Tinted to client specification	1

*Coverage is dependant on intermediate coat used.



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Aquawood Finapro 20 W30

Water based thick film wood glaze for wooden windows and doors. Highly breathable while ensuring the best possible weather resistance. Sustainable and long lasting weather protection.

For Industrial and Professional Use

Product advantages:

- Fast water resistance
- High resistance to mechanical damage
- For dimensionally stable timber components.

Method of application:

- Airless Spray
- Airless Spray (Air Supported)
- Cup Gun



Product Code	Description	Coverage	Colour	Packaging Unit
510100003020	Matt top coat	~230-300 g/m²	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Aquawood Finapro 40 W30

Water based thick film wood glaze for wooden windows and doors. Highly breathable while ensuring the best possible weather resistance. Sustainable and long lasting weather protection.

For Industrial and Professional Use

Product advantages:

- Fast water resistance
- High resistance to mechanical damage
- For dimensionally stable timber components.

Method of application:

- Airless Spray
- Airless Spray (Air Supported)
- Cup Gun



Product Code	Description	Coverage	Colour	Packaging Unit
513506941420	Semi Gloss Top Coat	~230-300 g/m²	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Aquawood Ligno+Sealer SQ - Primer Coat (For internal use only)

Water-based, transparent intermediate coating ready for application by spraying, with very good weather resistance and very good transparency on softwood with the above mentioned coating system. The product is environmentally friendly, block-resistant and has a good body and a good grindability.

For Industrial and Professional Use

Product advantages:

- Prevents grinding straight though coloured immersion impregnations
- Minimises surface defects on highly resinous softwoods
- Water resistant
- Very good weather resistance
- Protection against fungal decay
- Protection against mold

Method of application:

- Airless Spray
- Airless Spray (Air Supported)
- Cup Gun

Recommend Natureffekt as top coat.



Product Code	Description	Coverage	Colour	Packaging Unit
5911425	Interior primer coat	~100-125 g/m ²	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Aquawood Natureffekt - Top Coat (Internal use only)

Water-based, dull matt clear coat based on polyurethane dispersions, not yellowing. Especially natural look with accentuation of the timber surface. Good light resistance, high scratch resistance, block-resistance and chemical resistance. Without addition of active biocidal substances as protection against blue stain and timber destroying fungi.

For Industrial and Professional Use

Product advantages:

- Matt and elegant
- High degree of block and chemical resistance
- Accentuates natural appearance of the wood to a high degree
- Cradle to Cradle Bronze certified
- Protection against fungal decay
- Protection against mold

Method of application:

- Airless Spray
- Airless Spray (Air Supported)
- Cup Gun

Recommend Aquawood Ligno+Sealer SQ as primer coat.



Product Code	Description	Coverage	Colour	Packaging Unit
5370025	Interior top coat	~450-500 g/m ²	Tinted to client specification	1

*Note: For use with blonde timbers only.



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Pullex Aqua DSL W30

Good weathering and UV resistance; excellent permanent elasticity, excellent transparency; environmentally friendly, block-resistant, biocidefree, breathable. Can also be used for refurbishing coats of solvent-based thick-coat glaze finishes. Hand paintable.

For Professional and DIY use

Product advantages:

- Ready for use
- UV resistance
- For dimensionally stable timber components
- Block resistant
- High weather resistant

Method of application:

- Brushing

For primer layer it is recommended to use Alder Aquawood Primo TG



Product Code	Description	Coverage	Colour	Packaging Unit
5151398	Matt top coat	~8m²/L	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Lignovit Interior UV 100 (Internal Use Only)

Water thinnable wood glaze for internal applications. Lignovit Interior UV100 has a highly transparent effect highlighting the wood grain. This product contains no active substances and is breathable. Suitable for non-dimensionally stable timbers in both industrial and industrial use. Applications include interior timber elements. Not suitable for coloured hardwoods such as Meranti, Mahogany etc. Lignovit Interior UV 100 is part of the Adler Green-Label range.

For Industrial and Professional Use

Product advantages:

- UV resistance
- Block resistant
- For non-dimensionally stable timber components
- Quick drying

Method of application:

- Brushing
- Spraying
- Vacumat



Product Code	Description	Coverage	Colour	Packaging Unit
5322918	Tintable interior clear coat	~80-100 g/m²	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Lignovit Lasur

Water-based, thin-layered wood glaze based on acrylic and alkyd resin dispersions. Very good processability, high blocking resistance, good weather resistance, even degradation when weathered.

For Industrial and Professional Use

Product advantages:

- Breathable surface with durability
- Flexible application methods
- UV resistance with added pigments
- Protection against fungal decay and mold
- Easy recoating

Method of application:

- Brushing
- Float coating / immersion
- Coating Machine

Coverage:

- ~12m²/L (brushing)
- ~10m²/L (immersion)
- ~14m²/L (Coating machine)



Product Code	Description	Coverage	Colour	Packaging Unit
5313518	Tintable exterior timber glaze	See above	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Lignovit Plus LB UV Protect

Water based medium-film wood finish with UV protection suitable for use on softwoods. Optimised for vacuumat and brushing machine applications on mass timber substrates such as CLT or Glulam where large areas need to be covered. Suited for the reduction of natural yellowing of timber during the construction phase.

For industrial and professional use

Product advantages:

- Particularly suitable for UV protection during the construction phase
- Can be overcoated with other Lignovit products to obtain colour once construction is completed
- Efficient processing
- Protection against blue stain and fungal decay

Method of application:

- Vacuumat
- Brushing machine
- Manual brushing



Product Code	Description	Coverage	Colour	Packaging Unit
5333061743	Exterior clear coat	~70-100 g/m²	Clear with UV Protection	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Adler Hirnholz Versiegelung

Water dilutable filler based on acrylate dispersion with excellent water resistance. Prevents the capillary absorption of water via cross-cut wood. Excellent filling power and quick drying. Free of solvents. For transparent and covering coatings systems. The coat is protected from blue stain fungi and fungal decay.

Method of application:

- Rolling
- Brushing
- Spraying (airless or airmix)



Product Code	Description	Coverage	Colour	Packaging Unit
55621	Endgrain sealer	Highly dependant on timber adsorbtion	Tinted to client specification	1



Catalogue not up to date?
Scan the QR or [click here](#)
to view the latest version

[Click to jump back to top](#)

Paint Catalogue

*53 Haddon Drive
PO Box 27
Ballan VIC 3342
Australia*

*+61 03 5368 1181
info@siegware.com.au
www.siegware.com.au
www.siegware.co.nz*